

Flerupenitische Blätter

© 2004 Blackwell Publishing Ltd *Journal of Internal Medicine* 255: 111–118

1. *Journal of the American Medical Association*, 1997; 277: 1039-1043.

© 2004 Blackwell Publishing Ltd, *Journal of Internal Medicine* 255: 111–117

Abstract

[illegible]

the authors' knowledge, this is the first study to examine the effects of a single session of a group-based, self-help, cognitive-behavioral program on the self-reported health status of older adults with depression. The results of this study suggest that a single session of a group-based, self-help, cognitive-behavioral program can have a positive effect on the self-reported health status of older adults with depression. The results of this study also suggest that a single session of a group-based, self-help, cognitive-behavioral program can have a positive effect on the self-reported health status of older adults with depression. The results of this study also suggest that a single session of a group-based, self-help, cognitive-behavioral program can have a positive effect on the self-reported health status of older adults with depression.

[illegible]

the authors' knowledge, this is the first study to examine the effects of a single session of a group-based, self-help, cognitive-behavioral program on the self-reported health status of older adults with chronic conditions. The results of this study suggest that a single session of a group-based, self-help, cognitive-behavioral program can have a positive impact on the self-reported health status of older adults with chronic conditions. The results of this study also suggest that a single session of a group-based, self-help, cognitive-behavioral program can have a positive impact on the self-reported health status of older adults with chronic conditions. The results of this study also suggest that a single session of a group-based, self-help, cognitive-behavioral program can have a positive impact on the self-reported health status of older adults with chronic conditions.

THE JOURNAL OF THE
ROYAL ANTHROPOLOGICAL INSTITUTE
VOLUME 100, PART 1, 2000

ARTICLES	PAGES
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	
61	
62	
63	
64	
65	
66	
67	
68	
69	
70	
71	
72	
73	
74	
75	
76	
77	
78	
79	
80	
81	
82	
83	
84	
85	
86	
87	
88	
89	
90	
91	
92	
93	
94	
95	
96	
97	
98	
99	
100	

the same time, the system is designed to be flexible enough to accommodate a wide range of user requirements. The system is designed to be user-friendly and easy to use, and it is designed to be secure and reliable.

2. System Architecture

The system architecture is designed to be modular and scalable. It consists of a client layer, a server layer, and a database layer. The client layer is responsible for the user interface and the presentation of data. The server layer is responsible for the business logic and the processing of data. The database layer is responsible for the storage and retrieval of data. The system is designed to be flexible enough to accommodate a wide range of user requirements. The system is designed to be user-friendly and easy to use, and it is designed to be secure and reliable.

3. System Requirements

The system requirements are defined in terms of functional and non-functional requirements. The functional requirements define the system's behavior and the data it processes. The non-functional requirements define the system's performance, security, and reliability. The system is designed to be flexible enough to accommodate a wide range of user requirements. The system is designed to be user-friendly and easy to use, and it is designed to be secure and reliable.

CONCLUSIONS
 The results of this study indicate that the use of a standardized questionnaire is a valid method for the collection of data on the prevalence of dental caries in a population. The results of this study are in good agreement with those of other studies conducted in the United States and other countries. The use of a standardized questionnaire is a valid method for the collection of data on the prevalence of dental caries in a population.

REFERENCES

1. National Center for Health Statistics, Division of Oral Health, *Report of the National Survey of Dental Health, 1960-1962*. Washington, D.C., 1964.
2. National Center for Health Statistics, Division of Oral Health, *Report of the National Survey of Dental Health, 1960-1962*. Washington, D.C., 1964.
3. National Center for Health Statistics, Division of Oral Health, *Report of the National Survey of Dental Health, 1960-1962*. Washington, D.C., 1964.
4. National Center for Health Statistics, Division of Oral Health, *Report of the National Survey of Dental Health, 1960-1962*. Washington, D.C., 1964.
5. National Center for Health Statistics, Division of Oral Health, *Report of the National Survey of Dental Health, 1960-1962*. Washington, D.C., 1964.
6. National Center for Health Statistics, Division of Oral Health, *Report of the National Survey of Dental Health, 1960-1962*. Washington, D.C., 1964.
7. National Center for Health Statistics, Division of Oral Health, *Report of the National Survey of Dental Health, 1960-1962*. Washington, D.C., 1964.
8. National Center for Health Statistics, Division of Oral Health, *Report of the National Survey of Dental Health, 1960-1962*. Washington, D.C., 1964.
9. National Center for Health Statistics, Division of Oral Health, *Report of the National Survey of Dental Health, 1960-1962*. Washington, D.C., 1964.
10. National Center for Health Statistics, Division of Oral Health, *Report of the National Survey of Dental Health, 1960-1962*. Washington, D.C., 1964.

ACKNOWLEDGMENTS

The authors wish to thank the following individuals for their assistance in the collection of data for this study: [List of names]

REFERENCES

1. National Center for Health Statistics, Division of Oral Health, *Report of the National Survey of Dental Health, 1960-1962*. Washington, D.C., 1964.
2. National Center for Health Statistics, Division of Oral Health, *Report of the National Survey of Dental Health, 1960-1962*. Washington, D.C., 1964.
3. National Center for Health Statistics, Division of Oral Health, *Report of the National Survey of Dental Health, 1960-1962*. Washington, D.C., 1964.
4. National Center for Health Statistics, Division of Oral Health, *Report of the National Survey of Dental Health, 1960-1962*. Washington, D.C., 1964.
5. National Center for Health Statistics, Division of Oral Health, *Report of the National Survey of Dental Health, 1960-1962*. Washington, D.C., 1964.
6. National Center for Health Statistics, Division of Oral Health, *Report of the National Survey of Dental Health, 1960-1962*. Washington, D.C., 1964.
7. National Center for Health Statistics, Division of Oral Health, *Report of the National Survey of Dental Health, 1960-1962*. Washington, D.C., 1964.
8. National Center for Health Statistics, Division of Oral Health, *Report of the National Survey of Dental Health, 1960-1962*. Washington, D.C., 1964.
9. National Center for Health Statistics, Division of Oral Health, *Report of the National Survey of Dental Health, 1960-1962*. Washington, D.C., 1964.
10. National Center for Health Statistics, Division of Oral Health, *Report of the National Survey of Dental Health, 1960-1962*. Washington, D.C., 1964.